

# Hearing Protection

Disposable Earplugs and Dispensers	34
Reusable Earplugs	37
Detectable Earplugs	38
Banded Earplugs	39
Earmuffs and Accessories	40
Communication Systems	42



# Disposable Earplugs and Dispensers




311-1101

310-1001

312-1201

## Classic E-A-R™ Plugs

- Slow recovery PVC foam, provides comfort with low pressure
- Moisture resistant
- Noise reduction rating of 29 dB

Product #	SAP #	Description	Quantity
311-1101	11172608	Corded	200 pairs/box
310-1001	11167626	Uncorded, pillow pack	200 pairs/box
312-1201	11172614	Uncorded, poly bag	200 pairs/box




312-1250

312-1252

## EARSoft™ Yellow Neons™ and Yellow Neons Blasts™ Ear Plugs

- The softest earplugs
- Noise reduction rating of 33 dB, the highest rating available

Product #	SAP #	Description	Quantity
312-1250	11171043	Regular, uncorded	200 pairs/box
312-1252	11171042	Blasts, regular, uncorded	200 pairs/box




312-1219

312-1223

## Taperfit™ 2 Ear Plugs

- Soft and smooth for ultimate comfort
- Self-adjusting foam, provides low pressure with excellent attenuation
- Noise reduction rating of 32 dB

Product #	SAP #	Description	Quantity
312-1219	11167627	Regular, uncorded	200 pairs/box
312-1223	11172618	Regular, corded	200 pairs/box




318-1002

318-1003

## Push-Ins Ear Plugs

- Easy fit with no roll down required
- Stem allows for quick, easy and hygienic insertion and removal
- Noise reduction rating of 28 dB

Product #	SAP #	Description	Quantity
318-1002	11171044	Uncorded	200 pairs/box
318-1003	11196785	Corded	200 pairs/box



### Express™ Pod Plugs

- Soft flexible grip for easy insertion and removal
- Easy fit with no roll down required
- Assorted colour stems
- Pillow pack
- Noise reduction rating of 25 dB

Product #	SAP #	Quantity
321-2200	11172716	100 pairs/box



### One Touch™ Ear Plugs Dispenser with Stand

- One turn and the patented no waste funnel delivers earplugs quickly and easily

Product #	SAP #
391-1000	11172892



391-1001

391-1004

391-1010

### Refill Bottle

Product #	SAP #	Description	Quantity
391-1001	11172893	Classic™ refill bottle (29 dB)	500 pairs/bottle
391-1004	11172894	Earsoft™ Yellow Neons™ refill bottle (33 dB)	500 pairs/bottle
391-1010	11196786	Earsoft™ Yellow Blas™ refill bottle (33 dB)	500 pairs/bottle



LL-1

LL-30

### Laser Lite®

- Low-pressure polyurethane foam, high-visibility
- Noise reduction rating of 32 dB

Product #	SAP #	Description	Quantity
LL-1	11009307	Uncorded	200 pairs/box
LL-30	11175702	Corded	100 pairs/box



LPF-1

LPF-30

**Max Lite®**

- Low-pressure polyurethane foam
- Noise reduction rating of 30 dB

Product #	SAP #	Description	Quantity
LPF-1	11175712	Uncorded	200 pairs/box
LPF-30	11185388	Corded	100 pairs/box



MAX1

MAX30

**Max® 1 and Max® 30**

- Polyurethane foam
- Enhanced contoured shape is easier to insert
- Noise reduction rating of 33 dB


Product #	SAP #	Description	Quantity
MAX1	11186845	Uncorded	200 pairs/box
MAX30	11175745	Corded	100 pairs/box



**Multi Max®**

- Two-sizes-in-one design offers flexibility, protection and economy in hearing protection
- Noise reduction rating of 31 dB

Product #	SAP #	Quantity
MM-1	11175762	200 pairs/box



**Foam Ear Plugs 1100**

- Soft, comfortable and unobtrusive
- Recommended for high noise situations (up to 100 dBA)
- Noise reduction rating of 29 dB


Product #	SAP #	Quantity
1100	11161180	200 pairs/box



**Soft Foam Ear Plugs 1120**

- Soft foam ear plugs with a patented articulated shape for improved fit
- New softer formulation for improved comfort
- Noise reduction rating of 28 dB

Product #	SAP #	Quantity
1120	11172978	200 pairs/box



6800

6900

**Pura-Fit® Soft Foam Ear Plugs**

- Longer length for easy fitting and removal
- Non-irritating, smooth surface for added comfort
- Noise reduction rating of 33 dB

Product #	SAP #	Description	Quantity
6800	11193254	Uncorded	200 pairs/box
6900	11197107	Corded	100 pairs/box

**3M**

### 3M™ Foam Ear Plugs Dispenser

Product #	SAP #	Description
1100-DP	11177238	Refillable dispenser with 1000 pairs of 3M™ Foam Ear Plugs 1100
1120-DP	11177267	Refillable dispenser with 1000 pairs of 3M™ Soft Foam Ear Plugs 1120
DSP-B	11177269	Optional heavy base for 3M™ Foam Ear Plugs Dispenser Assembly 1100-DP or 1120-DP. For use on horizontal surfaces such as counters or tables

**3M**

1100-R



1120-R

### 3M™ Dispenser Refills

Product #	SAP #	Description	Quantity
1100-R	11186493	3M™ Foam Ear Plugs 1100 to refill 3M™ dispenser 1100-DP	500 pairs/bag
1120-R	11177268	3M™ Foam Ear Plugs 1200 to refill 3M™ dispenser 1120-DP	500 pairs/bag

## Reusable Earplugs

**EAR**

340-4004

340-4002

### Ultrafit™ Ear Plugs

- Reusable and conforms to oval shape of ear
- No rolling or touching plug portion during insertion
- Noise reduction rating of 25 dB

Product #	SAP #	Description	Quantity
340-4014	11184296	Corded	200 pairs/box
340-4004	11172816	Corded	100 pairs/box
340-4002	11172813	Corded, with carrying case	50 pairs/box

**HOWARD LEIGHT**  
by SPERIAN

### AirSoft® Red Polycord

- Internal fins create an interlocking, noise-blocking barrier
- Noise reduction rating of 27 dB

Product #	SAP #	Quantity
DPAS-30R	11196811	100 pairs/box



QD1

QD30

**Quiet®**

- Flexible stem adds ease of insertion and immediate comfort
- Noise reduction rating of 26 dB

Product #	SAP #	Description	Quantity
QD1	11176206	Uncorded	100 pairs/box
QD30	11181459	Corded	100 pairs/box



1290



1291

**Reusable Ear Plugs**

- New softer material
- Finger grip
- Translucent blue colour
- One size
- Recommended for moderate noise (up to 95 dBA)
- Noise reduction rating of 25 dB

Product #	SAP #	Description	Quantity
1290	11195904	Reusable ear plugs with braided cord	100 pairs/box
1291	11195905	Reusable ear plugs with braided cord and storage case	50 pairs/box

# Detectable Earplugs



**UltraFit™ Metal Detectable Plugs**

- Reusable
- Noise reduction rating of 25 dB

Product #	SAP #	Description	Quantity
340-4007	11172817	Corded	100 pairs/box




**Laser Trak®**

- Low-pressure polyurethane foam expands gently inside the ear canal
- Comfortable long-term wear
- Noise reduction rating of 32 dB

Product #	SAP #	Description	Quantity
LT-30	11175724	Corded	100 pairs/box

# Banded Earplugs



## E-A-R™ Caps™ Model 200


- Comfortable, efficient and lightweight
- Noise reduction rating of 17 dB

Product #	SAP #
321-2101	11172714



## E-A-R™ Caps™ Model 200 Replacement Pods


Product #	SAP #	Quantity
321-2103	11172715	5 pairs/box



## Caboflex™ Model 600

- Conically shaped plugs, provide comfortable fit
- Noise reduction rating of 20 dB under the chin and 17 dB behind the head

Product #	SAP #
320-2001	11172707



## Caboflex™ Model 600 Replacement Pods

Product #	SAP #	Quantity
320-2004	11194762	5 pairs/box



QB2HYG

QB200HYG

## QB2HYG®

- For people who are exposed to intermittent noise
- Patented band design, prevents ear pods from touching dirty or contaminated surfaces
- Noise reduction rating of 25 dB

Product #	SAP #	Description	Quantity
QB2HYG	11176198	Banded ear plug	—
QB200HYG	11186844	Replacement pods for QB2HYG	Pair, 50 pairs/box



6506

6504

## Jazz Band® Canal Cap Hearing Protector

- Soft foam pods that gently cap the ear canal
- An optional neck cord allows the protector to hang around the user's neck when not in use
- Replacement pods included in each package
- Noise reduction rating of 25 dB

Product #	SAP #	Description	Quantity
6506	11173937	Banded ear plug	—
6504	11177044	Cord and replacement pods for 6506	1 cord/pkg, 5 pairs/pkg, 50 packages/box

# Earmuffs and Accessories



Now it's easy to choose the right protection. Just match the Optime number to the noise level measured in an individual's work area. For example, if an area's noise level can go up to 98 dBA, the right earmuff would be Optime 98.



H9A



H9P3E

## Optime 98

Product #	SAP #	Description	Noise Level up to	Noise Reduction Rating
H9A	11167613	Over-the-head earmuff	98 dBA	25 dB
H9P3E	11169685	Helmet attachable earmuff	98 dBA	23 dB
HY3	11175581	Hygiene kit including 2 cushions and 2 dampers for H9 muffs	—	—



H7A



H7B



H7P3E

## Optime 101

Product #	SAP #	Description	Noise Level up to	Noise Reduction Rating
H7A	11170773	Over-the-head earmuff	101 dBA	27 dB
H7B	11175560	Behind-the-head earmuff	101 dBA	26 dB
H7P3E	11169276	Helmet attachable earmuff	101 dBA	24 dB
HY7	11175582	Hygiene kit including 2 cushions and 2 dampers for H7 muffs	—	—



H10A



H10B



H10P3E

## Optime 105

Product #	SAP #	Description	Noise Level up to	Noise Reduction Rating
H10A	11162659	Over-the-head earmuff	105 dBA	30 dB
H10B	11175551	Behind-the-head earmuff	105 dBA	29 dB
H10P3E	11170081	Helmet attachable earmuff	105 dBA	27 dB
HY10	11175580	Hygiene kit including 2 cushions and 2 dampers for H10 muffs	—	—

**NORTH**

EM4155



EM4157

## Mustang

Product #	SAP #	Description	Noise Reduction Rating
EM4155	11171061	Head band earmuff	23 dB
EM4157	11171062	Cap mounted earmuff	20 dB

**NORTH**

EM7202



EM7206



EM7209

## Intruder

Product #	SAP #	Description	Noise Reduction Rating
EM7202	11175182	Head band earmuff	28 dB
EM7206	11175183	Cap mounted earmuff	27 dB
EM7209	11196470	Cap mounted earmuff, for full brim hat	27 dB

**NORTH**

EM1282



EM1286



EM1281

## Stealth

Product #	SAP #	Description	Noise Reduction Rating
EM1282	11175171	Head band earmuff	25 dB
EM1286	11175172	Cap mounted earmuff	24 dB
EM1281	11175170	Neck band earmuff	24 dB

# Communication Systems



H7A-PTL



H7B-PTL



H7P3E-PTL

## Peltor PTL™ Muff

When workers lift their muff, they lower their protection. Just push the button on the PTL muff and speech and sound "outside" the muff can be heard "inside" - clearly and safely. After 30 seconds, the muff automatically returns to its full protection with a noise reduction rating of up to 26 dB.

Product #	SAP #	Description	Noise Reduction Rating
H7A-PTL	11175559	Over-the-head earmuff	26 dB
H7B-PTL	11197159	Behind-the-head earmuff	26 dB
H7P3E-PTL	11175561	Helmet attachable earmuff	25 dB



MT53H7A4600



MT53H7A4610

## PowerCom Radio Headsets

Peltor's family of integrated 2-way radio headsets are the perfect tool for communicating in high noise environments. Simple to operate and comfortable to wear, these headsets offer numerous features that will improve workplace efficiency. Up to 2 miles transmitting range. Push to talk or voice activated.

Product #	SAP #	Description	Noise Reduction Rating
MT53H7A4600	11197157	PowerCom, head band model	25 dB
MT53H7A4610	11197155	PowerCom Plus, head band model, ambient surround listening, electronic	25 dB