

Material Safety Data Sheet

Printing date 10/07/2008

Version 5

Reviewed on 10/07/2008

*

1 Identification of substance

· **Product details**

· **Trade name:** Arsine

· **Article number:** 064-01-0010

· **Creation date:** 09/14/2006

· **Manufacturer/Supplier:**

Linde Canada Limited

5860 Chedworth Way

Mississauga, Ontario L5R 0A2

Telephone (905) 501-1700

24-HOUR EMERGENCY TELEPHONE NUMBER:

(905) 501-0802

Linde

575 Mountain Avenue

Murray Hill, NJ 07974

Telephone (908) 464-8100

24-HOUR EMERGENCY TELEPHONE NUMBER:

CHEMTREC (800) 424-9300

· **Information department:** Customer Service Centre: 1-866-385-5349

2 Composition/Data on components

· **Chemical characterization:**

· **CAS No. Description**

7784-42-1 arsine

· **Identification number(s)**

· **EINECS Number:** 232-066-3

033-006-00-7

*

3 Hazards identification

· **Hazard description:**



Very toxic
Extremely flammable
Dangerous for the environment

· **WHMIS-symbols:**

Liquified gas.

B1 - Flammable gas

D1A - Very toxic material causing immediate and serious toxic effects



· **HMIS-ratings (scale 0 - 4)**

HEALTH	4
FIRE	4
REACTIVITY	0

Health = *4

Fire = 4

Reactivity = 0

(Contd. on page 2)

Material Safety Data Sheet

Printing date 10/07/2008

Version 5

Reviewed on 10/07/2008

Trade name: Arsine

(Contd. of page 1)

· NFPA ratings (scale 0 - 4)

 Health = 4
 Fire = 4
 Reactivity = 0

· Information pertaining to particular dangers for man and environment:

Extremely flammable.
 Very toxic by inhalation.
 Harmful: danger of serious damage to health by prolonged exposure through inhalation.
 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

· Classification system:

The classification is in line with internationally approved calculation standards. It is expanded, however, by information from technical literature and by information furnished by supplier companies.

· GHS label elements

Danger

2.2/1 - Extremely flammable gas.


Danger

3.1/1 - Fatal if inhaled.


Warning

2.5/L - Contains gas under pressure; may explode if heated.


Warning

3.9/2 - May cause damage to organs through prolonged or repeated exposure.


Warning

4.1/1 - Very toxic to aquatic life with long lasting effects.

· Prevention:

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.
 Do not breathe dust/fume/gas/mist/vapours/spray.
 Use only outdoors or in a well-ventilated area.
 Avoid release to the environment.
 Wear respiratory protection.

· Response:

IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing.
 Immediately call a POISON CENTER or doctor/physician.
 Get medical advice/attention if you feel unwell.
 Specific treatment is urgent (see label).
 Leaking gas fire: Do not extinguish, unless leak can be stopped safely.
 Eliminate all ignition sources if safe to do so.

(Contd. on page 3)

Material Safety Data Sheet

Printing date 10/07/2008

Version 5

Reviewed on 10/07/2008

Trade name: Arsine

(Contd. of page 2)

Collect spillage.

· Storage:

Store in a well-ventilated place.

Store in a well-ventilated place. Keep container tightly closed.

Store locked up.

Protect from sunlight. Store in a well-ventilated place.

· Disposal:

Dispose of contents/container in accordance with local/regional/national/international regulations.

4 First aid measures

· General information:

Immediately remove any clothing soiled by the product.

Remove breathing apparatus only after contaminated clothing have been completely removed.

In case of irregular breathing or respiratory arrest provide artificial respiration.

· After inhalation:

Supply fresh air or oxygen; call for doctor.

In case of unconsciousness place patient stably on the body side position.

· After skin contact: Immediately wash with water and soap and rinse thoroughly for at least 15 minutes.**· After eye contact:** Rinse opened eye for at least 15 minutes under running water. Then consult a doctor.**· After swallowing:** Not applicable

5 Fire fighting measures

· Suitable extinguishing agents:CO₂, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.**· Protective equipment:** Wear self-contained respiratory protective device.

6 Accidental release measures

· Person-related safety precautions:

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation.

Eliminate ignition sources

Stop leak - ONLY if possible to do so without risk.

· Measures for environmental protection: Prevent seepage into sewage system, workpits and/or cellars.**· Measures for cleaning/collecting:**

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

7 Handling and storage

· Handling: Do not mix with air or oxygen above atmospheric pressure.**· Information for safe handling:**

Ensure good ventilation/exhaustion at the workplace.

Open and handle cylinder with care.

(Contd. on page 4)

CDN

Material Safety Data Sheet

Printing date 10/07/2008

Version 5

Reviewed on 10/07/2008

Trade name: Arsine

(Contd. of page 3)

Handle with care. Avoid jolting, friction, and impact.

Use only in well ventilated areas.

Store cylinders upright with valve protection cap in place and firmly secured to prevent falling or being knocked over.

· **Information about protection against explosions and fires:**

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

Keep respiratory protective device available.

Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C. Do not pierce or burn, even after use.

· **Storage:**

· **Requirements to be met by storerooms and receptacles:**

Store in a cool location.

Do not expose cylinder to temperatures higher than 50°C (122 °F)

· **Information about storage in one common storage facility:**

Store away from oxidizing agents.

Store separately from cylinders containing oxygen or oxidants by a minimum distance of 20' or by a barrier of non-combustible material at least 5' high having a fire resistant rating of at least 30minutes.

Sources of ignition should be removed from storage area.

· **Further information about storage conditions:**

Keep cylinder valve tightly closed.

Store in cool, dry conditions in well sealed receptacles.

Protect from heat and direct sunlight.

Store cylinder in a well ventilated area.

Store in accordance with local fire code and/or building code or any pertaining regulations.

* 8 Exposure controls and personal protection

· **Additional information about design of technical systems:**

Adequate local ventilation.

Safety showers and eyewash stations should be nearby.

· **Components with limit values that require monitoring at the workplace:**

7784-42-1 arsine (23-100%)

EL	0.05 ppm
----	----------

· **Additional information:** The lists that were valid during the creation were used as basis.

· **Personal protective equipment:**

· **General protective and hygienic measures:**

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Protective clothing should be kept free of oil and grease.

PPE should be inspected and maintained regularly to retain it's effectiveness.

· **Breathing equipment:**

Use atmosphere-supplying respirators (e.g. supplied-air: demand, pressure-demand, or continuous-flow or self-contained breathing apparatus: demand or pressure-demand or combination supplied-air with auxiliary self-contained air supply atmosphere-supplying respirator) in case of insufficient ventilation.

(Contd. on page 5)

Material Safety Data Sheet

Printing date 10/07/2008

Version 5

Reviewed on 10/07/2008

Trade name: Arsine

(Contd. of page 4)

· Protection of hands:


Protective gloves.

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· Eye protection: Safety glasses

9 Physical and chemical properties

· General Information

Form:	Gaseous.
Color:	Colorless
Odor:	Odorless

· Change in condition

Melting point/Melting range:	-117°C
Boiling point/Boiling range:	-58°C

· Flash point: Not applicable.

· Danger of explosion: In use, may form flammable/explosive vapour-air mixture.

· Explosion limits:

Lower:	4.5 g/m ³
Upper:	68 g/m ³

10 Stability and reactivity

· Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

· Dangerous reactions

May form explosive gas mixture with air.

May react with oxidizing agents.

· Dangerous products of decomposition: No dangerous decomposition products known.

11 Toxicological information

· Acute toxicity:
· LD/LC50 values that are relevant for classification:
7784-42-1 arsine

Inhalative LC50/4hr 50 ppm (rat)

· Primary irritant effect:
· on the skin: No irritating effect.

· on the eye: No irritating effect.

(Contd. on page 6)

Material Safety Data Sheet

Printing date 10/07/2008

Version 5

Reviewed on 10/07/2008

Trade name: Arsine

· **Sensitization:** No sensitizing effects known.

(Contd. of page 5)

12 Ecological information

- **Ecotoxicological effects:**
- **Remark:** Very toxic for fish
- **General notes:**
 Do not allow product to reach ground water, water course or sewage system, even in small quantities.
 Danger to drinking water if even extremely small quantities leak into the ground.
 Also poisonous for fish and plankton in water bodies.
 Very toxic for aquatic organisms

13 Disposal considerations

- **Product:**
- **Recommendation:** Unused product should be returned to vendor.
- **Uncleaned packagings:**
- **Recommendation:**
 Cylinder and unused product should be returned to vendor. Disposable cylinder must be disposed of in accordance with local regulations.
- **Recommended cleansing agent:** None applicable.

14 Transport information

· **TDG and DOT regulations:**



- **Hazard class:** 2
- **Identification number:** UN2188
- **Packing group:** -
- **Proper shipping name (technical name):** ARSINE
- **Label:** 2.3+2.1
- **Packaging group:** -

· **Maritime transport IMDG:**



- **IMDG Class:** 2.3
- **UN Number:** 2188
- **Label:** 2.3+2.1
- **Packaging group:** -

(Contd. on page 7)

Material Safety Data Sheet

Printing date 10/07/2008

Version 5

Reviewed on 10/07/2008

Trade name: Arsine

(Contd. of page 6)

- **EMS Number:** F-D,S-U
- **Marine pollutant:** No
- **Proper shipping name:** ARSINE

· **Air transport ICAO-TI and IATA-DGR:**



- **ICAO/IATA Class:** 2
- **UN/ID Number:** 2188
- **Label:** 2.3+2.1
- **Packaging group:** -
- **Propper shipping name:** ARSINE

· **UN "Model Regulation":** UN2188; ARSINE; 2.3 (2.1); -

15 Regulations

· **Sara**

· **Section 355 (extremely hazardous substances):**

Substance is listed.

· **Section 313 (Specific toxic chemical listings):**

Substance is not listed.

· **TSCA (Toxic Substances Control Act):**

Substance is listed.

· **Proposition 65**

· **Chemicals known to cause cancer:**

Substance is not listed.

· **Chemicals known to cause reproductive toxicity for females:**

Substance is not listed.

· **Chemicals known to cause reproductive toxicity for males:**

Substance is not listed.

· **Chemicals known to cause developmental toxicity:**

Substance is not listed.

· **Carcinogeny categories**

· **EPA (Environmental Protection Agency)**

Substance is not listed.

· **NTP (National Toxicology Program)**

Substance is not listed.

· **TLV (Threshold Limit Value established by ACGIH)**

Substance is not listed.

(Contd. on page 8)

Material Safety Data Sheet

Printing date 10/07/2008

Version 5

Reviewed on 10/07/2008

Trade name: Arsine

(Contd. of page 7)

· NIOSH-Ca (National Institute for Occupational Safety and Health)

Substance is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

Substance is not listed.

· Canadian substance listings:**· Canadian Domestic Substances List (DSL)**

Substance is listed.

· Canadian Ingredient Disclosure list (limit 0.1%)

Substance is listed.

· Canadian Ingredient Disclosure list (limit 1%)

Substance is not listed.

· Product related hazard informations:

The product was classified in accordance with the hazard criteria of the Canadian Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR.

· Hazard symbols:

Very toxic
Extremely flammable
Dangerous for the environment

· Risk phrases:

Extremely flammable.
Very toxic by inhalation.
Harmful: danger of serious damage to health by prolonged exposure through inhalation.
Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

· Safety phrases:

Keep locked up and out of the reach of children.
Keep container in a well-ventilated place.
Keep away from sources of ignition - No smoking.
After contact with skin, wash immediately with plenty of ... (to be specified by the manufacturer).
Take precautionary measures against static discharges.
Wear suitable protective clothing and gloves.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Please refer to the section 3 for NFPA and HMIS Hazard Codes.

DISCLAIMER OF EXPRESSED AND IMPLIED WARRANTIES

Although reasonable care has been taken in the preparation of this document, we extend no warranties and make no representations as to the accuracy or completeness of the information contained herein, and assume no responsibility regarding the suitability of this information for the user's intended purposes or for the consequences of its use. Each individual should make a determination as to the suitability of the information for their particular purpose(s).

GENERAL DISCLAIMER

(Contd. on page 9)

Material Safety Data Sheet

Printing date 10/07/2008

Version 5

Reviewed on 10/07/2008

Trade name: Arsine

(Contd. of page 8)

For terms and conditions, including limitation of liability, please refer to the purchase agreement in effect between Linde Inc. (or any of its affiliates and subsidiaries) and the purchaser.

· **Department issuing MSDS:** Customer Service Centre: 1-866-385-5349

· **Abbreviations and Acronyms:**

.

ACGIH: American Conference of Governmental Industrial Hygienists

CAS: Chemical Abstract Service (Division of the American Chemical Society)

DOT: US Department of Transportation

EINECS: European Inventory of Existing Commercial Chemical Substances

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

HMIS: Hazardous Material Identification System

IATA: International Air Transportation Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transportation Association"

ICAO: International Civil Aviation Association

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization (ICAO)"

IMDG: International Marine Code for Dangerous Goods

WHIMS: Workplace Hazardous Material Information System

LC50: Lethal Concentration, 50 Percent

LD50: Lethal Dose, 50 Percent

N/A: Not Applicable

CDN