

## Material Safety Data Sheet

Printing date 10/01/2009

Version 5

Reviewed on 10/01/2009

### 1 Identification of substance

· **Product details**

· **Trade name:** Dichlorosilane

· **Article number:** 037-01-0011BOC

· **Creation date:** 08/15/2006

· **Manufacturer/Supplier:**

Linde Canada Limited

5860 Chedworth Way

Mississauga, Ontario L5R 0A2

Telephone (905) 501-1700

24-HOUR EMERGENCY TELEPHONE NUMBER:

(905) 501-0802

Linde

575 Mountain Avenue

Murray Hill, NJ 07974

Telephone (908) 464-8100

24-HOUR EMERGENCY TELEPHONE NUMBER :

CHEMTREC (800) 424-9300 OR

Linde National Operations Center (800) 232-4726

· **Information department:** Customer Service Centre: 1-866-385-5349

### 2 Composition/Data on components

· **Chemical characterization:**

· **CAS No. Description**

4109-96-0 Dichlorosilane

· **Identification number(s)**

· **EINECS Number:** 223-888-3

### 3 Hazards identification

· **Hazard description:**



Toxic  
Extremely flammable  
Corrosive

· **WHMIS-symbols:**

A - Compressed gas

B1 - Flammable gas

E - Corrosive material

D1A - Very toxic material causing immediate and serious toxic effects



· **HMIS-ratings (scale 0 - 4)**

HEALTH **3** Health = 3

FIRE **4** Fire = 4

REACTIVITY **0** Reactivity = 0

(Contd. on page 2)

## Material Safety Data Sheet

Printing date 10/01/2009

Version 5

Reviewed on 10/01/2009

Trade name: Dichlorosilane

(Contd. of page 1)

· **NFPA ratings (scale 0 - 4)**

Health = 3  
Fire = 4  
Reactivity = 0

· **Information pertaining to particular dangers for man and environment:**

Extremely flammable.

Toxic by inhalation.

Causes burns.

· **Classification system:**

The classification is in line with internationally approved calculation standards. It is expanded, however, by information from technical literature and by information furnished by supplier companies.

· **GHS label elements****Danger**

2.2/1 - Extremely flammable gas.

**Danger**

3.1/2 - Fatal if inhaled.

**Danger**

3.2/1B - Causes severe skin burns and eye damage.

**Warning**

2.5/L - Contains gas under pressure; may explode if heated.

· **Prevention:**

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Do not breathe dust/fume/gas/mist/vapours/spray.

Wash thoroughly after handling.

Use only outdoors or in a well-ventilated area.

Wear protective gloves/protective clothing/eye protection/face protection.

Wear respiratory protection.

· **Response:**

IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

Immediately call a POISON CENTER or doctor/physician.

Specific treatment is urgent (see on this label).

Specific treatment (see on this label).

Wash contaminated clothing before reuse.

Leaking gas fire: Do not extinguish, unless leak can be stopped safely.

Eliminate all ignition sources if safe to do so.

· **Storage:**

Store in a well-ventilated place.

Store in a well-ventilated place. Keep container tightly closed.

Store locked up.

Protect from sunlight. Store in a well-ventilated place.

(Contd. on page 3)

# Material Safety Data Sheet

Printing date 10/01/2009

Version 5

Reviewed on 10/01/2009

**Trade name: Dichlorosilane**

(Contd. of page 2)

- **Disposal:**  
Dispose of contents/container in accordance with local/regional/national/international regulations.

## 4 First aid measures

- **General information:**  
Immediately remove any clothing soiled by the product.  
Remove breathing apparatus only after contaminated clothing have been completely removed.  
In case of irregular breathing or respiratory arrest provide artificial respiration.
- **After inhalation:**  
Supply fresh air or oxygen; call for doctor.  
In case of unconsciousness place patient stably on the body side position.
- **After skin contact:** Immediately wash with water and soap and rinse thoroughly for at least 15 minutes.
- **After eye contact:** Rinse opened eye for at least 15 minutes under running water. Then consult a doctor.
- **After swallowing:** Drink copious amounts of water and provide fresh air. Immediately call a doctor.

## 5 Fire fighting measures

- **Suitable extinguishing agents:** CO<sub>2</sub>, sand, extinguishing powder. Do not use water.
- **For safety reasons unsuitable extinguishing agents:** Water
- **Protective equipment:** Wear self-contained respiratory protective device.

## 6 Accidental release measures

- **Person-related safety precautions:**  
Wear protective equipment. Keep unprotected persons away.  
Ensure adequate ventilation.  
Eliminate ignition sources  
Stop leak - ONLY if possible to do so without risk.
- **Measures for environmental protection:**  
Prevent seepage into sewage system, workpits and/or cellars.  
In case of gas release or seepage into the ground inform responsible authorities.
- **Measures for cleaning/collecting:**  
Use neutralizing agent.  
Dispose contaminated material as waste according to item 13.  
Ensure adequate ventilation.  
Do not flush with water or aqueous cleansing agents

## 7 Handling and storage

- **Handling:** Do not mix with air or oxygen above atmospheric pressure.
- **Information for safe handling:**  
Ensure good ventilation/exhaustion at the workplace.  
Open and handle cylinder with care.  
Handle with care. Avoid jolting, friction, and impact.  
Use only in well ventilated areas.  
Store container in a secured area. Limit access to authorized personnel only. Report any incidents involving thefts, misuse, or inventory shortages to law enforcement and the supplier. Security shall be provided in accordance with all local, state (provincial) and federal regulations.
- **Information about protection against explosions and fires:**  
Keep ignition sources away - Do not smoke.

(Contd. on page 4)

CDN

# Material Safety Data Sheet

Printing date 10/01/2009

Version 5

Reviewed on 10/01/2009

**Trade name: Dichlorosilane**

(Contd. of page 3)

Protect against electrostatic charges.

Keep respiratory protective device available.

Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C. Do not pierce or burn, even after use.

· **Storage:**

· **Requirements to be met by storerooms and receptacles:**

Store in a cool location.

Do not expose cylinder to temperatures higher than 50°C (122 °F)

· **Information about storage in one common storage facility:**

Store away from oxidizing agents.

Store separately from cylinders containing oxygen or oxidants by a minimum distance of 20' or by a barrier of non-combustible material at least 5' high having a fire resistant rating of at least 30minutes.

Sources of ignition should be removed from storage area.

· **Further information about storage conditions:**

Keep cylinder valve tightly closed.

Store in cool, dry conditions in well sealed receptacles.

Protect from heat and direct sunlight.

Store cylinder in a well ventilated area.

Store in accordance with local fire code and/or building code or any pertaining regulations.

## 8 Exposure controls and personal protection

· **Additional information about design of technical systems:**

Adequate local ventilation.

Safety showers and eyewash stations should be nearby.

· **Components with limit values that require monitoring at the workplace:** Not required.

· **Additional information:** The lists that were valid during the creation were used as basis.

· **Personal protective equipment:**

· **General protective and hygienic measures:**

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the eyes and skin.

Protective clothing should be kept free of oil and grease.

PPE should be inspected and maintained regularly to retain its effectiveness.

· **Breathing equipment:**

Use atmosphere-supplying respirators (e.g. supplied-air: demand, pressure-demand, or continuous-flow or self-contained breathing apparatus: demand or pressure-demand or combination supplied-air with auxiliary self-contained air supply atmosphere-supplying respirator) in case of insufficient ventilation.

· **Protection of hands:**



Protective gloves.

· **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· **Eye protection:** Safety glasses

CDN

(Contd. on page 5)

## Material Safety Data Sheet

Printing date 10/01/2009

Version 5

Reviewed on 10/01/2009

Trade name: Dichlorosilane

(Contd. of page 4)

\* **9 Physical and chemical properties**· **General Information**

<b>Form:</b>	Gaseous.
<b>Color:</b>	Colorless
<b>Odor:</b>	Irritant

· **Change in condition**

<b>Melting point/Melting range:</b>	-122°C
<b>Boiling point/Boiling range:</b>	8°C

<b>Ignition temperature:</b>	100°C
------------------------------	-------

<b>Danger of explosion:</b>	In use, may form flammable/explosive vapour-air mixture.
-----------------------------	--

· **Explosion limits:**

<b>Lower:</b>	4.1 Vol %
<b>Upper:</b>	98.4 Vol %

\* **10 Stability and reactivity**

- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.

· **Dangerous reactions**

May form explosive gas mixture with air.  
May react with oxidizing agents.

· **Dangerous products of decomposition:**

In a fire chlorine, hydrogen chloride, and silicon oxides may be released.

\* **11 Toxicological information**· **Acute toxicity:**· **LD/LC50 values that are relevant for classification:****4109-96-0 Dichlorosilane**

Inhalative	LC50/4hr	314 ppm (rat)
No objective human exposure data available.		

· **Primary irritant effect:**

- **on the skin:** Caustic effect on skin and mucous membranes.

- **on the eye:** Strong caustic effect.

- **Sensitization:** No sensitizing effects known.

· **Additional toxicological information:**

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

\* **12 Ecological information**· **General notes:**

Generally not hazardous for water.

Must not reach bodies of water or drainage ditch undiluted or unneutralized.

CDN

(Contd. on page 6)

## Material Safety Data Sheet

Printing date 10/01/2009

Version 5

Reviewed on 10/01/2009

Trade name: Dichlorosilane

(Contd. of page 5)

## \* 13 Disposal considerations

- **Product:**
- **Recommendation:** Unused product should be returned to vendor.
- **Uncleaned packagings:**
- **Recommendation:** Cylinder and unused product should be returned to vendor. Disposable cylinder must be disposed of in accordance with local regulations.
- **Recommended cleansing agent:** None applicable.

## \* 14 Transport information

## · TDG and DOT regulations:



- **Hazard class:** 2
- **Identification number:** UN2189
- **Packing group:** -
- **Proper shipping name (technical name):** DICHLOROSILANE
- **Label:** 2.3+2.1+8
- **Packaging group:** -

## · Maritime transport IMDG:



- **IMDG Class:** 2.3
- **UN Number:** 2189
- **Label:** 2.3+2.1+8
- **Packaging group:** -
- **EMS Number:** F-D,S-U
- **Marine pollutant:** No
- **Proper shipping name:** DICHLOROSILANE

## · Air transport ICAO-TI and IATA-DGR:



- **ICAO/IATA Class:** 2
- **UN/ID Number:** 2189
- **Label:** 2.3+2.1+8
- **Packaging group:** -
- **Propper shipping name:** DICHLOROSILANE

- **UN "Model Regulation":** UN2189, DICHLOROSILANE, 2.3 (2.1+8)

CDN

(Contd. on page 7)

## Material Safety Data Sheet

Printing date 10/01/2009

Version 5

Reviewed on 10/01/2009

Trade name: Dichlorosilane

(Contd. of page 6)

## \* 15 Regulations

## · Sara

## · Section 355 (extremely hazardous substances):

Substance is not listed.

## · Section 313 (Specific toxic chemical listings):

Substance is not listed.

## · TSCA (Toxic Substances Control Act):

Substance is listed.

## · Proposition 65

## · Chemicals known to cause cancer:

Substance is not listed.

## · Chemicals known to cause reproductive toxicity for females:

Substance is not listed.

## · Chemicals known to cause reproductive toxicity for males:

Substance is not listed.

## · Chemicals known to cause developmental toxicity:

Substance is not listed.

## · Cancerogenity categories

## · EPA (Environmental Protection Agency)

Substance is not listed.

## · NTP (National Toxicology Program)

Substance is not listed.

## · TLV (Threshold Limit Value established by ACGIH)

Substance is not listed.

## · NIOSH-Ca (National Institute for Occupational Safety and Health)

Substance is not listed.

## · OSHA-Ca (Occupational Safety &amp; Health Administration)

Substance is not listed.

## · Canadian substance listings:

## · Canadian Domestic Substances List (DSL)

Substance is listed.

## · Canadian Ingredient Disclosure list (limit 0.1%)

Substance is not listed.

## · Canadian Ingredient Disclosure list (limit 1%)

Substance is listed.

## · Product related hazard informations:

Observe the general safety regulations when handling chemicals.

The product was classified in accordance with the hazard criteria of the Canadian Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR.

## · Hazard symbols:

Toxic

Extremely flammable

Corrosive

(Contd. on page 8)

# Material Safety Data Sheet

Printing date 10/01/2009

Version 5

Reviewed on 10/01/2009

**Trade name: Dichlorosilane**

(Contd. of page 7)

· **Risk phrases:**

Extremely flammable.  
Toxic by inhalation.  
Causes burns.

· **Safety phrases:**

Keep in a cool place.  
Keep container in a well-ventilated place.  
Keep away from sources of ignition - No smoking.  
Do not breathe gas/fumes/vapour/spray (appropriate wording to be specified by the manufacturer).  
In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.  
Take precautionary measures against static discharges.

## 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Please refer to the section 3 for NFPA and HMIS Hazard Codes.

### DISCLAIMER OF EXPRESSED AND IMPLIED WARRANTIES

Although reasonable care has been taken in the preparation of this document, we extend no warranties and make no representations as to the accuracy or completeness of the information contained herein, and assume no responsibility regarding the suitability of this information for the user's intended purposes or for the consequences of its use. Each individual should make a determination as to the suitability of the information for their particular purpose(s).

### GENERAL DISCLAIMER

For terms and conditions, including limitation of liability, please refer to the purchase agreement in effect between Linde Inc. (or any of its affiliates and subsidiaries) and the purchaser.

· **Department issuing MSDS:** Customer Service Centre: 1-866-385-5349

· **Abbreviations and Acronyms:**

ACGIH: American Conference of Governmental Industrial Hygienists  
CAS: Chemical Abstract Service (Division of the American Chemical Society)  
DOT: US Department of Transportation  
EINECS: European Inventory of Existing Commercial Chemical Substances  
GHS: Globally Harmonized System of Classification and Labelling of Chemicals  
HMIS: Hazardous Material Identification System  
IATA: International Air Transportation Association  
IATA-DGR: Dangerous Goods Regulations by the "International Air Transportation Association"  
ICAO: International Civil Aviation Association  
ICAO-TI: Technical Instructions by the "International Civil Aviation Organization (ICAO)"  
IMDG: International Marine Code for Dangerous Goods  
WHIMS: Workplace Hazardous Material Information System  
LC50: Lethal Concentration, 50 Percent  
LD50: Lethal Dose, 50 Percent  
N/A: Not Applicable

CDN