

Material Safety Data Sheet

Printing date 11/02/2011

Version 8

Reviewed on 11/02/2011

1 Identification of substance

· **Product details**

· **Trade name:** Handigas 2

· **Article number:** 066-01-0010

· **Creation date:** 10/05/2006

· **Manufacturer/Supplier:**

Linde Canada Limited

5860 Chedworth Way

Mississauga, Ontario L5R 0A2

Telephone (905) 501-1700

24-HOUR EMERGENCY TELEPHONE NUMBER:

(905) 501-0802

Linde

575 Mountain Avenue

Murray Hill, NJ 07974

Telephone (908) 464-8100

24-HOUR EMERGENCY TELEPHONE NUMBER :

CHEMTREC (800) 424-9300 OR

Linde National Operations Center (800) 232-4726

Pse ensure that this MSDS is received by the appropriate person.

· **Information department:** Customer Service Centre: 1-866-385-5349

2 Composition/Data on components

· **Chemical characterization:**

· **CAS No. Description**

68476-85-7 Petroleum gases, liquefied

· **Identification number(s)**

· **EINECS Number:** 270-704-2

· **Index number:** 649-202-00-6

3 Hazards identification

· **Hazard description:**



Carc. Cat. 1, Muta. Cat. 2

Toxic


Extremely flammable

· **WHMIS-symbols:**

A - Compressed gas

B1 - Flammable gas

D2A - Very toxic material causing other toxic effects



· **HMIS-ratings (scale 0 - 4)**

HEALTH	3
FIRE	4
REACTIVITY	0

Health = 3

Fire = 4

Reactivity = 0

(Contd. on page 2)

Material Safety Data Sheet

Printing date 11/02/2011

Version 8

Reviewed on 11/02/2011

Trade name: Handigas 2

(Contd. of page 1)

· **NFPA ratings (scale 0 - 4)**

Health = 3
Fire = 4
Reactivity = 0

· **Information pertaining to particular dangers for man and environment:**

May cause cancer.
May cause heritable genetic damage.
Extremely flammable.

· **Classification system:**

The classification is in line with internationally approved calculation standards. It is expanded, however, by information from technical literature and by information furnished by supplier companies.

· **GHS label elements****Danger**

2.2/1 - Extremely flammable gas.

**Danger**

3.5/1B - May cause genetic defects.

3.6/1A - May cause cancer.

**Warning**

2.5/L - Contains gas under pressure; may explode if heated.

· **Prevention:**

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.
Use personal protective equipment as required.

· **Storage:**

Store locked up.
Protect from sunlight. Store in a well-ventilated place.
Store in a well-ventilated place.

· **Disposal:**

Dispose of contents/container in accordance with local/regional/national/international regulations.

* **4 First aid measures**

- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:** Generally the product does not irritate the skin.
- **After eye contact:** Rinse opened eye for at least 15 minutes under running water. Then consult a doctor.
- **After swallowing:** Not applicable

* **5 Fire fighting measures**

- **Suitable extinguishing agents:**
CO₂, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **Protective equipment:** Wear self-contained respiratory protective device.

CDN

(Contd. on page 3)

Material Safety Data Sheet

Printing date 11/02/2011

Version 8

Reviewed on 11/02/2011

Trade name: Handigas 2

(Contd. of page 2)

6 Accidental release measures

- **Person-related safety precautions:**

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation.

Eliminate ignition sources

Stop leak - ONLY if possible to do so without risk.

- **Measures for environmental protection:**

Prevent seepage into sewage system, workpits and/or cellars.

In case of gas release or seepage into the ground inform responsible authorities.

- **Measures for cleaning/collecting:**

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

7 Handling and storage

- **Handling:** Do not mix with air or oxygen above atmospheric pressure.

- **Information for safe handling:**

Open and handle cylinder with care.

Handle with care. Avoid jolting, friction, and impact.

Use only in well ventilated areas.

Store container in a secured area. Limit access to authorized personnel only. Report any incidents involving thefts, misuse, or inventory shortages to law enforcement and the supplier. Security shall be provided in accordance with all local, state (provincial) and federal regulations.

- **Information about protection against explosions and fires:**

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

Keep respiratory protective device available.

Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C. Do not pierce or burn, even after use.

- **Storage:**

- **Requirements to be met by storerooms and receptacles:**

Store in a cool location.

Do not expose cylinder to temperatures higher than 50°C (122 °F)

- **Information about storage in one common storage facility:**

Store away from oxidizing agents.

Store separately from cylinders containing oxygen or oxidants by a minimum distance of 20' or by a barrier of non-combustible material at least 5' high having a fire resistant rating of at least 30minutes.

Sources of ignition should be removed from storage area.

- **Further information about storage conditions:**

Keep cylinder valve tightly closed.

Store in cool, dry conditions in well sealed receptacles.

Protect from heat and direct sunlight.

Store in accordance with local fire code and/or building code or any pertaining regulations.

8 Exposure controls and personal protection

- **Additional information about design of technical systems:**

Adequate local ventilation.

Safety showers and eyewash stations should be nearby.

(Contd. on page 4)

CDN

Material Safety Data Sheet

Printing date 11/02/2011

Version 8

Reviewed on 11/02/2011

Trade name: Handigas 2

(Contd. of page 3)

· Components with limit values that require monitoring at the workplace:

68476-85-7 Petroleum gases, liquefied (23 - 100 %)

EL	Short-term value: 1250 ppm
	Long-term value: 1000 ppm
EV	1.000 ppm

· **Additional information:** The lists that were valid during the creation were used as basis.· **Personal protective equipment:**· **General protective and hygienic measures:**

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Protective clothing and PPE should be kept free of oil and grease, generally in clean condition

PPE should be inspected and maintained regularly to retain effectiveness.

· **Breathing equipment:**

Use atmosphere-supplying respirators (e.g. supplied-air: demand, pressure-demand, or continuous-flow or self-contained breathing apparatus: demand or pressure-demand or combination supplied-air with auxiliary self-contained air supply atmosphere-supplying respirator) in case of insufficient ventilation.

· **Protection of hands:**

Protective gloves.

· **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· **Eye protection:** Safety glasses* **9 Physical and chemical properties**· **General Information**

Form:	Compressed liquefied gas
Color:	Colorless
Odor:	Like rotten eggs

· **Change in condition****Melting point/Melting range:** -188°C**Boiling point/Boiling range:** -43°C· **Flash point:**< 0°C
Not applicable.· **Ignition temperature:**

432°C

· **Danger of explosion:**

In use, may form flammable/explosive vapour-air mixture.

· **Explosion limits:****Lower:** 2.4 Vol %**Upper:** 9.5 Vol %

-CDN-

(Contd. on page 5)

Material Safety Data Sheet

Printing date 11/02/2011

Version 8

Reviewed on 11/02/2011

Trade name: Handigas 2

(Contd. of page 4)

10 Stability and reactivity

- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Materials to be avoided:**
- **Dangerous reactions**
 - May form explosive gas mixture with air.
 - May react with oxidizing agents.
- **Dangerous products of decomposition:** Carbon Monoxide.

11 Toxicological information

- **Acute toxicity:**
- **LD/LC50 values that are relevant for classification:** LC50 - None available
- **Primary irritant effect:**
 - **on the skin:** No irritating effect.
 - **on the eye:** No irritating effect.
- **Sensitization:** No sensitizing effects known.

12 Ecological information

- **Additional ecological information:**
- **General notes:**
 - Do not allow product to reach ground water, water course or sewage system, even in small quantities.
 - Danger to drinking water if even extremely small quantities leak into the ground.

13 Disposal considerations

- **Product:**
- **Recommendation:** Unused product should be returned to vendor.
- **Uncleaned packagings:**
- **Recommendation:**
 - Cylinder and unused product should be returned to vendor. Disposable cylinder must be disposed of in accordance with local regulations.
- **Recommended cleansing agent:** None applicable.

14 Transport information

- **TDG and DOT regulations:**



- **Hazard class:** 2
- **Identification number:** UN1075
- **Packing group:** -
- **Proper shipping name (technical name):** PETROLEUM GASES, LIQUEFIED
- **Label:** 2.1

(Contd. on page 6)

CDN

Material Safety Data Sheet

Printing date 11/02/2011

Version 8

Reviewed on 11/02/2011

Trade name: Handigas 2

(Contd. of page 5)

· **Packaging group:** -· **Maritime transport IMDG:**

· **IMDG Class:** 2.1
 · **UN Number:** 1075
 · **Label** 2.1
 · **Packaging group:** -
 · **Marine pollutant:** No
 · **Proper shipping name:** PETROLEUM GASES, LIQUEFIED

· **Air transport ICAO-TI and IATA-DGR:**

· **ICAO/IATA Class:** 2
 · **UN/ID Number:** 1075
 · **Label** 2.1
 · **Packaging group:** -
 · **Propper shipping name:** PETROLEUM GASES, LIQUEFIED

· **UN "Model Regulation":** UN1075, PETROLEUM GASES, LIQUEFIED, 2.1

15 Regulations

· **Sara**· **Section 355 (extremely hazardous substances):**

Substance is not listed.

· **Section 313 (Specific toxic chemical listings):**

Substance is listed.

· **TSCA (Toxic Substances Control Act):**

Substance is listed.

· **Proposition 65**· **Chemicals known to cause cancer:**

Substance is not listed.

· **Chemicals known to cause reproductive toxicity for females:**

Substance is not listed.

· **Chemicals known to cause reproductive toxicity for males:**

Substance is not listed.

· **Chemicals known to cause developmental toxicity:**

Substance is not listed.

· **Cancerogenity categories**· **EPA (Environmental Protection Agency)**

Substance is not listed.

(Contd. on page 7)

CDN

Material Safety Data Sheet

Printing date 11/02/2011

Version 8

Reviewed on 11/02/2011

Trade name: Handigas 2

(Contd. of page 6)

· NTP (National Toxicology Program)

Substance is not listed.

· TLV (Threshold Limit Value established by ACGIH)

Substance is not listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

Substance is not listed.

· OSHA-Ca (Occupational Safety & Health Administration)

Substance is not listed.

· Canadian substance listings:
· Canadian Domestic Substances List (DSL)

Substance is listed.

· Canadian Ingredient Disclosure list (limit 0.1%)

Substance is not listed.

· Canadian Ingredient Disclosure list (limit 1%)

Substance is not listed.

· Product related hazard informations:

The product was classified in accordance with the hazard criteria of the Canadian Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR.

· Hazard symbols:

Carc. Cat. 1, Muta. Cat. 2

Toxic

Extremely flammable

· Risk phrases:

May cause cancer.

May cause heritable genetic damage.

Extremely flammable.

· Safety phrases:

Avoid exposure - obtain special instructions before use.

In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Please refer to the section 3 for NFPA and HMIS Hazard Codes.

DISCLAIMER OF EXPRESSED AND IMPLIED WARRANTIES

Although reasonable care has been taken in the preparation of this document, we extend no warranties and make no representations as to the accuracy or completeness of the information contained herein, and assume no responsibility regarding the suitability of this information for the user's intended purposes or for the consequences of its use. Each individual should make a determination as to the suitability of the information for their particular purpose(s).

GENERAL DISCLAIMER

For terms and conditions, including limitation of liability, please refer to the purchase agreement in effect between Linde Inc. (or any of its affiliates and subsidiaries) and the purchaser.

· **Department issuing MSDS:** Customer Service Centre: 1-866-385-5349

(Contd. on page 8)

CDN

Material Safety Data Sheet

Printing date 11/02/2011

Version 8

Reviewed on 11/02/2011

Trade name: Handigas 2

(Contd. of page 7)

· Abbreviations and Acronyms:

ACGIH: American Conference of Governmental Industrial Hygienists
CAS: Chemical Abstract Service (Division of the American Chemical Society)
DOT: US Department of Transportation
EINECS: European Inventory of Existing Commercial Chemical Substances
GHS: Globally Harmonized System of Classification and Labelling of Chemicals
HMIS: Hazardous Material Identification System
IATA: International Air Transportation Association
IATA-DGR: Dangerous Goods Regulations by the "International Air Transportation Association"
ICAO: International Civil Aviation Association
ICAO-TI: Technical Instructions by the "International Civil Aviation Organization (ICAO)"
IMDG: International Marine Code for Dangerous Goods
WHIMS: Workplace Hazardous Material Information System
LC50: Lethal Concentration, 50 Percent
LD50: Lethal Dose, 50 Percent
N/A: Not Applicable

CDN