

Material Safety Data Sheet

Printing date 08/14/2008

Version 1

Reviewed on 08/14/2008

1 Identification of substance

- **Product details**

- **Trade name: Tungsten Hexafluoride**

- **Article number:** 129-01-0022

- **Creation date:** 08/14/2008

- **Manufacturer/Supplier:**

Linde Canada Limited

5860 Chedworth Way

Mississauga, Ontario L5R 0A2

Telephone (905) 501-1700

24-HOUR EMERGENCY TELEPHONE NUMBER:

(905) 501-0802

Linde

575 Mountain Avenue

Murray Hill, NJ 07974

Telephone (908) 464-8100

24-HOUR EMERGENCY TELEPHONE NUMBER:

CHEMTREC (800) 424-9300

- **Information department:** Customer Service Centre: 1-866-385-5349

2 Composition/Data on components

- **Chemical characterization:**

- **CAS No. Description**

7783-82-6 tungsten hexafluoride

- **Identification number(s)**

- **EINECS Number:** 232-029-1

3 Hazards identification

- **Hazard description:**



Very toxic

Oxidizing

- **WHMIS-symbols:**

Liquified gas.

C - Oxidizing materials

D1A - Very toxic material causing immediate and serious toxic effects

D2B - Toxic material causing other toxic effects

E - Corrosive material



- **HMIS-ratings (scale 0 - 4)**

HEALTH	4	Health = 4
--------	---	------------

FIRE	3	Fire = 3
------	---	----------

REACTIVITY	2	Reactivity = 2
------------	---	----------------

(Contd. on page 2)

CDN

Material Safety Data Sheet

Printing date 08/14/2008

Version 1

Reviewed on 08/14/2008

Trade name: Tungsten Hexafluoride

(Contd. of page 1)

· NFPA ratings (scale 0 - 4)



Health = 4
Fire = 3
Reactivity = 2

· Information pertaining to particular dangers for man and environment:

Contact with combustible material may cause fire.
Reacts violently with water.
Very toxic by inhalation.
Causes severe burns.

· Classification system:

The classification is in line with internationally approved calculation standards. It is expanded, however, by information from technical literature and by information furnished by supplier companies.

· GHS label elements

**Danger**

2.4/1 - May cause or intensify fire; oxidizer.

**Danger**

3.1/1 - Fatal if inhaled.

**Danger**

3.2/1A - Causes severe skin burns and eye damage.

**Warning**

2.5/L - Contains gas under pressure; may explode if heated.

· Prevention:

Keep/Store away from clothing/combustible materials.
Keep reduction valves free from grease and oil.
Do not breathe dust/fume/gas/mist/vapours/spray.
Wash thoroughly after handling.
Use only outdoors or in a well-ventilated area.
Wear protective gloves/protective clothing/eye protection/face protection.
Wear respiratory protection.

· Response:

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.
IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Immediately call a POISON CENTER or doctor/physician.
Specific treatment is urgent (see label).

(Contd. on page 3)

Material Safety Data Sheet

Printing date 08/14/2008

Version 1

Reviewed on 08/14/2008

Trade name: Tungsten Hexafluoride

(Contd. of page 2)

Specific treatment (see label).
Wash contaminated clothing before reuse.
In case of fire: Stop leak if safe to do so.

· **Storage:**

Store in a well-ventilated place.
Store in a well-ventilated place. Keep container tightly closed.
Store locked up.
Protect from sunlight. Store in a well-ventilated place.

· **Disposal:**

Dispose of contents/container in accordance with local/regional/national/international regulations.

4 First aid measures

· **General information:**

Immediately remove any clothing soiled by the product.
Remove breathing apparatus only after contaminated clothing have been completely removed.
In case of irregular breathing or respiratory arrest provide artificial respiration.

· **After inhalation:**

Supply fresh air or oxygen; call for doctor.
In case of unconsciousness place patient stably on the body side position.

· **After skin contact:** Immediately wash with water and soap and rinse thoroughly for at least 15 minutes.

· **After eye contact:** Rinse opened eye for at least 15 minutes under running water. Then consult a doctor.

· **After swallowing:** Not applicable

5 Fire fighting measures

- **Suitable extinguishing agents:** Extinguishing powder. Do not use water.
- **For safety reasons unsuitable extinguishing agents:** Water
- **Protective equipment:** Wear self-contained respiratory protective device.

6 Accidental release measures

· **Person-related safety precautions:**

Wear protective equipment. Keep unprotected persons away.
Ensure adequate ventilation.
Eliminate ignition sources

Stop leak - ONLY if possible to do so without risk.

· **Measures for environmental protection:**

Prevent seepage into sewage system, workpits and/or cellars.
In case of gas release or seepage into the ground inform responsible authorities.

· **Measures for cleaning/collecting:**

Use neutralizing agent.
Dispose contaminated material as waste according to item 13.
Ensure adequate ventilation.
Do not flush with water or aqueous cleansing agents

CDN

(Contd. on page 4)

Material Safety Data Sheet

Printing date 08/14/2008

Version 1

Reviewed on 08/14/2008

Trade name: Tungsten Hexafluoride

(Contd. of page 3)

7 Handling and storage

- **Handling:**

- **Information for safe handling:**

Ensure good ventilation/exhaustion at the workplace.

Open and handle cylinder with care.

Handle with care. Avoid jolting, friction, and impact.

Use only in well ventilated areas.

Store cylinders upright with valve protection cap in place and firmly secured to prevent falling or being knocked over.

If difficulty with operating cylinder valve is experienced discontinue use and contact supplier.

- **Information about protection against explosions and fires:**

Keep ignition sources away - Do not smoke.

Keep respiratory protective device available.

Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C. Do not pierce or burn, even after use.

- **Storage:**

- **Requirements to be met by storerooms and receptacles:**

Do not expose cylinder to temperatures higher than 50°C (122 °F)

- **Information about storage in one common storage facility:**

Sources of ignition should be removed from storage area.

- **Further information about storage conditions:**

Keep cylinder valve tightly closed.

Store in cool, dry conditions in well sealed receptacles.

Store cylinder in a well ventilated area.

Store in accordance with local fire code and/or building code or any pertaining regulations.

8 Exposure controls and personal protection

- **Additional information about design of technical systems:**

Adequate local ventilation.

Safety showers and eyewash stations should be nearby.

- **Components with limit values that require monitoring at the workplace:** Not required.

- **Additional information:** The lists that were valid during the creation were used as basis.

- **Personal protective equipment:**

- **General protective and hygienic measures:**

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the eyes and skin.

Protective clothing should be kept free of oil and grease.

PPE should be inspected and maintained regularly to retain its effectiveness.

- **Breathing equipment:**

Use atmosphere-supplying respirators (e.g. supplied-air: demand, pressure-demand, or continuous-flow or self-contained breathing apparatus: demand or pressure-demand or combination supplied-air with auxiliary self-contained air supply atmosphere-supplying respirator) in case of insufficient ventilation.

(Contd. on page 5)

Material Safety Data Sheet

Printing date 08/14/2008

Version 1

Reviewed on 08/14/2008

Trade name: Tungsten Hexafluoride

(Contd. of page 4)

· **Protection of hands:**



Protective gloves.

· **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· **Eye protection:** Safety glasses

9 Physical and chemical properties

· **General Information**

Form:	Liquefied gas
Color:	Colorless
Odor:	Odorless

· **Change in condition**

Melting point/Melting range:	2°C
Boiling point/Boiling range:	17°C

· **Flammability (solid, gaseous):** Contact with combustible material may cause fire.

· **Danger of explosion:** Explosive when mixed with combustible material.

10 Stability and reactivity

- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Dangerous reactions** No dangerous reactions known.
- **Dangerous products of decomposition:** No dangerous decomposition products known.

11 Toxicological information

- **Acute toxicity:**
- **LD/LC50 values that are relevant for classification:** LC50 > 5000ppm
- **Primary irritant effect:**
- **on the skin:** Strong caustic effect on skin and mucous membranes.
- **on the eye:** Strong caustic effect.
- **Sensitization:** No sensitizing effects known.
- **Additional toxicological information:**
Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

CDN

(Contd. on page 6)

Material Safety Data Sheet

Printing date 08/14/2008

Version 1

Reviewed on 08/14/2008

Trade name: Tungsten Hexafluoride

(Contd. of page 5)

12 Ecological information

- **General notes:** Must not reach bodies of water or drainage ditch undiluted or unneutralized.

13 Disposal considerations

- **Product:**
- **Recommendation:** Unused product should be returned to vendor.
- **Uncleaned packagings:**
- **Recommendation:** Cylinder and unused product should be returned to vendor. Disposable cylinder must be disposed of in accordance with local regulations.
- **Recommended cleansing agent:** None applicable.

14 Transport information

- **TDG and DOT regulations:**



- **Hazard class:** 2
- **Identification number:** UN2196
- **Packing group:** -
- **Proper shipping name (technical name):** TUNGSTEN HEXAFLUORIDE
- **Label:** 2.3
- **Packaging group:** -

- **Maritime transport IMDG:**



- **IMDG Class:** 2.3
- **UN Number:** 2196
- **Label:** 2.3
- **Packaging group:** -
- **EMS Number:** F-C,S-U
- **Marine pollutant:** No
- **Proper shipping name:** TUNGSTEN HEXAFLUORIDE

(Contd. on page 7)

CDN

Material Safety Data Sheet

Printing date 08/14/2008

Version 1

Reviewed on 08/14/2008

Trade name: Tungsten Hexafluoride

(Contd. of page 6)

· Air transport ICAO-TI and IATA-DGR:


- **ICAO/IATA Class:** 2
- **UN/ID Number:** 2196
- **Label:** 2.3
- **Packaging group:** -
- **Propper shipping name:** TUNGSTEN HEXAFLUORIDE

- **UN "Model Regulation":** UN2196, TUNGSTEN HEXAFLUORIDE, 2.3 (8)

15 Regulations

· Sara
· Section 355 (extremely hazardous substances):

Substance is not listed.

· Section 313 (Specific toxic chemical listings):

Substance is not listed.

· TSCA (Toxic Substances Control Act):

Substance is listed.

· Proposition 65
· Chemicals known to cause cancer:

Substance is not listed.

· Chemicals known to cause reproductive toxicity for females:

Substance is not listed.

· Chemicals known to cause reproductive toxicity for males:

Substance is not listed.

· Chemicals known to cause developmental toxicity:

Substance is not listed.

· Cancerogenity categories
· EPA (Environmental Protection Agency)

Substance is not listed.

· NTP (National Toxicology Program)

Substance is not listed.

· TLV (Threshold Limit Value established by ACGIH)

Substance is not listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

Substance is not listed.

(Contd. on page 8)

Material Safety Data Sheet

Printing date 08/14/2008

Version 1

Reviewed on 08/14/2008

Trade name: Tungsten Hexafluoride

(Contd. of page 7)

· OSHA-Ca (Occupational Safety & Health Administration)

Substance is not listed.

· Canadian substance listings:
· Canadian Domestic Substances List (DSL)

Substance is listed.

· Canadian Ingredient Disclosure list (limit 0.1%)

Substance is not listed.

· Canadian Ingredient Disclosure list (limit 1%)

Substance is not listed.

· Product related hazard informations:

The product was classified in accordance with the hazard criteria of the Canadian Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR.

· Hazard symbols:

Very toxic

Oxidizing

· Risk phrases:

Contact with combustible material may cause fire.

Reacts violently with water.

Very toxic by inhalation.

Causes severe burns.

· Safety phrases:

Keep container in a well-ventilated place.

Keep away from combustible material.

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Please refer to the section 3 for NFPA and HMIS Hazard Codes.

DISCLAIMER OF EXPRESSED AND IMPLIED WARRANTIES

Although reasonable care has been taken in the preparation of this document, we extend no warranties and make no representations as to the accuracy or completeness of the information contained herein, and assume no responsibility regarding the suitability of this information for the user's intended purposes or for the consequences of its use. Each individual should make a determination as to the suitability of the information for their particular purpose(s).

GENERAL DISCLAIMER

For terms and conditions, including limitation of liability, please refer to the purchase agreement in effect between Linde Inc. (or any of its affiliates and subsidiaries) and the purchaser.

· Department issuing MSDS: Customer Service Centre: 1-866-385-5349

(Contd. on page 9)

CDN

Material Safety Data Sheet

Printing date 08/14/2008

Version 1

Reviewed on 08/14/2008

Trade name: Tungsten Hexafluoride

(Contd. of page 8)

· Abbreviations and Acronyms:

ACGIH: American Conference of Governmental Industrial Hygienists
CAS: Chemical Abstract Service (Division of the American Chemical Society)
DOT: US Department of Transportation
EINECS: European Inventory of Existing Commercial Chemical Substances
GHS: Globally Harmonized System of Classification and Labelling of Chemicals
HMIS: Hazardous Material Identification System
IATA: International Air Transportation Association
IATA-DGR: Dangerous Goods Regulations by the "International Air Transportation Association"
ICAO: International Civil Aviation Association
ICAO-TI: Technical Instructions by the "International Civil Aviation Organization (ICAO)"
IMDG: International Marine Code for Dangerous Goods
WHIMS: Workplace Hazardous Material Information System
LC50: Lethal Concentration, 50 Percent
LD50: Lethal Dose, 50 Percent
N/A: Not Applicable

CDN